



\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of copy of this form with next communication to applicant. <sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. this collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450



PTO/SB/08b (08-03)

Approved for use through 06/30/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete if Known	
Application Number	10/531,301
Filing Date	April 14, 2005
First Named Inventor	Arnon NEUFELD et al
Group Art Unit	2862
Examiner Name	N/A
Attorney Docket Number	29490

Sheet	Of	Attorney Docket Number
OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS		
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.
	8	Edelstein "Radiofrequency System and coils for MRI and MRS", Methods in Biomedical Magnetic Resonance Imaging and Spectroscopy, 1: 135-157.
	09	Belohrad et al. "Saddle Coil for MRI", P.1-4.
	10	Doty et al. "Practical Aspects of Birdcage Coils", Journal of Magnetic Resonance, 138: 144-154, 1999.
	11	Doty et al. "Error-Tolerant RF Litz Coils for NMR/MRI", Journal of Magnetic Resonance, 140: 17-31, 1999.
	12	Riauka et al. "A Numerical Approach to Non-Circular Birdcage RF Coil Optimization: Verification With a Fourth-Order Coil", Magnetic Resonance in Medicine, 41: 1180-1188, 1999.
	13	Neufeld et al. "A Novel Imaging Coil - The Two Leg Birdcage(?) Bipod?? Dipole?? Boxer??", The Tel Aviv University School of Chemistry, P.1-5.
	14	Kost et al. "A Cylindrical-Wind NMR Probe With Extended Tuning Range for Studies of the Developing Heart", Journal of Magnetic Resonance, 82: 238-252, 1989.
	15	Martens et al. "Conformal Mapping Analyses of Microstrip Circular and Elliptical Cross-Sections", IEEE Transactions on Microwave Theory and Techniques, 40(9): 1836-1840, 1992.
	16	Forbes et al. "Determining Current Distributions for RF Resonators in Magnetic Resonance Imaging", Meas. Sci. Technol., 6: 284-292, 1995.
	17	Doty et al. "Copper-Clad Compensated Wire and Foil", P.148-154.
	18	Schneider et al. "Slotted Tube Resonator: A New NMR Probe Head at High Observing Frequencies", Rev. Sci. Instrum., 48(1): 68-73, 1977.
	19	Carlson "Currents and Fields of Thin Conductors in RF Saddle Coils", Magnetic Resonance in Medicine, 3: 778-790, 1986.
	20	Hammer et al. "Design of a <sup>13</sup> C{ <sup>1</sup> H} RF Probe for Monitoring the In Vivo Metabolism of [1- <sup>13</sup> C] Glucose in Primate Brain", Magnetic Resonance in Medicine, 13: 1-5, 1990.
	21	Hong et al. "Whole Body Slotted Tube Resonator (STR) for Proton NMR Imaging at 2.0 Tesla", Magnetic Resonance Imaging, 5: 239-243, 1987.
	22	Bobroff et al. "Variations on the Slotted-Tube Resonator: Rectangular and Elliptical Coils", Magnetic Resonance Imaging, 17(5): 783-789, 1999.
	23	Leroy-Willig et al. "The Slotted Cylinder. An Inductive Structure for NMR Imaging", Abstracts: Second Annual Meeting, P.193-194.
	24	Schneider et al. "Crossed Slotted Tube Resonator (CSTR) - A New Double Resonance NMR Probehead", Rev. Sci. Instrum., 48(7): 832-833, 1977.
	25	Sphicopoulos et al. "Slotted Tube Cavity: A Compact Resonator With Empty Core", IEE Proceedings, 134(Pt.H, 5): 405-410, 1987.
	26	Murphy et al. "A Comparison of Three Radiofrequency Coils for NMR Studies of Conductive Samples", Magnetic Resonance in Medicine, 12: 382-389, 1989.
	27	Barfuss et al. "In Vivo Magnetic Resonance Imaging and Spectroscopy of Humans With a 4T Whole-Body Magnet", NMR in Biomedicine, 3(1): 31-45, 1990.
	28	Alderman et al. "An Efficient Decoupler Coil Design Which Reduces Heating in Conductive Samples in Superconducting Spectrometers", Journal of Magnetic Resonance, 36: 447-451, 1979.
	29	Crozier et al. "In Vivo Localized <sup>1</sup> H NMR Spectroscopy at 11.7 Tesla", Journal of Magnetic Resonance, 94: 123-132, 1991.



30	Duerr et al. "Novel Electromagnetic Field Probes With Ultrasonic Transmission Lines for Field Measurements With Minimum Interaction", Rev.Sci. Instrum., 61(2): 859-864, 1990.	
31	Samaratunga et al. "Resonator Coils for Magnetic Resonance Imaging at 6 MHz", Med. Phys., 15(2): 235-240, 1988.	
32	Cross et al. "Radiofrequency Resonators for High-Field Imaging and Double-Resonance Spectroscopy", Journal of Magnetic Resonance, 62: 87-98, 1985.	

Signature		Considered	
-----------	--	------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>. Applicant's unique citation designation number (optional). <sup>2</sup>. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. this collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS.

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*